

2.4 Sitelength [km]:

156.33

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITF4	Puglia
------	--------

2.6 Biogeographical Region(s)

Mediterranean (100.0
%)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
1120 B			3235.24	0	M	A	B	B	B
1150 B			2.1	0	P	A	C	A	A
1170 B			1441.78	0	M	B	C	B	B
1210 B			0.17	0	M	B	C	B	B
1240 B			11.54	0	M	A	C	A	A
1420 B			13.07	0	M	A	C	A	A
2110 B			1.68	0	M	A	C	B	B
2120 B			1.68	0	P	A	C	B	B
2230 B			0.7	0	M	B	C	B	B
2240 B			700.6	0	P	A	C	A	A
2250 B			12.31	0	M	A	C	B	A
2270 B			28.33	0	P	C	C	B	C
3170 B			210.18		P	A	C	A	A
3290 B			1.24	0	M	C	C	C	C
6220 B			4.14	0	M	A	C	A	A

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.

B	A293	Acrocephalus melanopogon			c				P	DD	C	B	C	C
B	A229	Alcedo atthis			c				P	DD	C	B	C	C
B	A052	Anas crecca			w				P	DD	C	B	C	C
B	A050	Anas penelope			w				P	DD	C	B	C	C
B	A053	Anas platyrhynchos	Yes		w				P	DD	C	B	C	B
B	A055	Anas querquedula			c				P	DD	C	B	C	C
B	A029	Ardea purpurea			c				P	DD	C	B	C	C
B	A024	Ardeola ralloides			c				P	DD	C	B	C	B
B	A222	Asio flammeus			c				V	DD	D			
B	A059	Aythya ferina			w				P	DD	B	B	C	B
B	A060	Aythya nyroca			c				R	DD	C	B	C	C
A	5357	Bombina pachipus			p				P	DD	D			
B	A021	Botaurus stellaris			c				P	DD	C	B	C	C
B	A243	Calandrella brachydactyla			r				C	DD	B	B	C	B
R	1224	Caretta caretta			p				P	DD	C	C	C	C
B	A138	Charadrius alexandrinus			r				V	DD	C	C	C	C
B	A196	Chlidonias hybridus			c				P	DD	C	B	C	B
B	A197	Chlidonias niger			c				P	DD	C	B	C	B
B	A031	Ciconia ciconia			c				R	DD	C	B	C	C
B	A081	Circus aeruginosus			w				P	DD	C	B	C	B
B	A082	Circus cyaneus			w				P	DD	C	B	C	B
B	A083	Circus macrourus			c				P	DD	C	B	C	C
B	A084	Circus pygargus			c				P	DD	C	B	C	C
B	A231	Coracias garrulus			c				P	DD	C	C	C	C
B	A027	Egretta alba			c				R	DD	C	B	C	C
B	A026	Egretta garzetta			w				R	DD	C	B	C	B
B	A026	Egretta garzetta			w				R	DD	C	B	C	B
R	1279	Elaphe quatuorlineata			p				P	DD	C	C	B	C
B	A095	Falco naumanni			c	6	10	i	C	G	C	B	C	C
B	A153	Gallinago gallinago			w				P	DD	C	B	C	C
B	A154	Gallinago media			c				R	DD	C	B	C	C
B	A002	Gavia arctica			w	2	10	i		G	C	B	B	B
B	A189	Gelocheidon nilotica			c				P	DD	C	B	C	B
B	A127	Grus grus			c				P	DD	C	B	C	C
B	A131	Himantopus himantopus			c				R	DD	C	C	C	C
B	A022	Ixobrychus minutus			c				P	DD	C	B	C	B
B	A181	Larus audouinii			r	30	500	p		G	B	A	A	A
B	A459	Larus cachinnans			p				C	DD	D			
B	A176	Larus melanocephalus			w				P	DD	C	B	C	B
B	A604	Larus michahellis			w				P	DD	D			
B	A177	Larus minutus			w				P	DD	D			
B	A179	Larus ridibundus			w				P	DD	D			
B	A156	Limosa limosa			c				R	DD	C	B	C	C
B	A272	Luscinia svecica			w				P	DD	C	B	C	B
B	A160	Numenius arquata			w				P	DD	D			

B	A023	Nycticorax nycticorax			c				P	DD	C	B	C	B
B	A094	Pandion haliaetus			c				R	DD	C	B	C	C
B	A621	Passer italiae			r				V	DD	D			
B	A356	Passer montanus			r				P	DD	D			
B	A151	Philomachus pugnax			c				P	DD	C	B	C	B
B	A034	Platalea leucorodia			c				R	DD	C	C	C	C
B	A032	Plegadis falcinellus			c				P	DD	C	B	C	C
B	A140	Pluvialis apricaria			w				P	DD	C	B	C	B
B	A120	Porzana parva			c				P	DD	C	B	C	B
B	A119	Porzana porzana			c				P	DD	C	B	C	B
B	A132	Recurvirostra avosetta			c				V	DD	D			
B	A336	Remiz pendulinus			r				P	DD	D			
M	1304	Rhinolophus ferrumequinum			p				P	DD	B	B	A	B
B	A276	Saxicola torquata			r				P	DD	D			
B	A195	Sterna albifrons			c				P	DD	C	B	C	B
B	A193	Sterna hirundo			c				P	DD	C	B	C	B
B	A191	Sterna sandvicensis			w				P	DD	C	B	C	B
P	1883	Stipa austroitalica			p				P	DD	B	B	C	B
B	A166	Tringa glareola			c				P	DD	C	B	C	B
B	A162	Tringa totanus			w				P	DD	C	B	C	B
M	1349	Tursiops truncatus			p				P	DD	D			

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
I		Scyllarus arctus			0	0		P					X	
I		Spondylus gaederopus			0	0		P						X
P		Anacamptis morio (L.) R.M.Bateman, Pridgeon & M.W.Chase			0	0		P						X
P		Anacamptis palustris (Jacq.) R.M.Bateman, Pridgeon & M.W.Chase			0	0		P						X
P		Anacamptis papilionacea (L.) R.M. Bateman, Pridgeon & M.W.Chase			0	0		P						X

F	3027	Sciaena umbra			0	0		P			X			
I	1090	Scyllarides latus			0	0		P		X				
P		Serapias lingua L.			0	0		P					X	
P		Serapias parviflora Parl.			0	0		P					X	
P		Serapias vomeracea (Burm.f.) Briq.			0	0		P					X	
I		Spongia officinalis			0	0		P			X		X	
M	2034	Stenella coeruleoalba			0	0		P	X		X		X	
P		Trapa natans L.			0	0		P						X
A	1168	Triturus italicus			0	0		P	X					

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N01	65.0
N05	5.0
N03	5.0
N23	3.0
N06	5.0
N04	15.0
N09	2.0
Total Habitat Cover	100

Other Site Characteristics

L'isola di S. Andrea costituisce un sito di notevole importanza archeologica con insediamenti dell'età del bronzo.

4.2 Quality and importance

Sito caratterizzato dalla presenza di pavimenti di alghe incrostanti con percentuale 2 della copertura complessiva.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	F02		b
M	G01		b

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]
L	U		b

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT04	80.0				

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT41	MONTAGNA SPACCATA E RUPI DI SAN MAURO	/	0.0
IT41	PALUDE DEL CAPITANO IT9150013	/	0.0
IT41	LITORALE DI UGENTO IT9150009	/	0.0
IT90	AREA MARINA PROTETTA DI PORTO CESAREO	/	0.0

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Regione Puglia
Address:	VIA GENTILE, N, 52 BARI
Email:	ufficioparchi.regione@pec.rupar.puglia.it

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/>	Yes	Name: Misure di Conservazione ai sensi delle Direttive Comunitarie 2009/147 e 92/43 e del DPR 357/97 per i Siti di Importanza Comunitaria (SIC) Link: http://https://www.paesaggiopuglia.it/notizie/308-misure-di-conservazione-dei-sic-pugliesi-sprovvisi-di-piani-di-gestione-modifiche-ed-integrazioni-al-r-r-6-2016.html
<input type="checkbox"/>	No, but in preparation	
<input checked="" type="checkbox"/>	No	

6.3 Conservation measures (optional)

R.R. 28/08 R.R. 6/16R.R. 12/17

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

Fg. 214 1:25000 Gauss-Boaga
