



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT9140002
SITENAME Litorale Brindisino

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

| | |
|-----------------|--|
| 1.1 Type | 1.2 Site code Back to top |
| B | IT9140002 |

1.3 Site name

| |
|---------------------|
| Litorale Brindisino |
|---------------------|

| | |
|-----------------------------------|------------------------|
| 1.4 First Compilation date | 1.5 Update date |
| 1995-06 | 2019-05 |

1.6 Respondent:

| | |
|---------------------------|--|
| Name/Organisation: | Regione Puglia - Sezione Tutela e valorizzazione del paesaggio - Servizio Parchi e Tutela della Biodiversità |
| Address: | Via Gentile, 52 70126 - Bari |
| Email: | servizio.assettoterritorio@pec.rupar.puglia.it |

1.7 Site indication and designation / classification dates

| | |
|--|---------|
| Date site classified as SPA: | 0002-12 |
| National legal reference of SPA designation | No data |
| Date site proposed as SCI: | 1995-06 |
| Date site confirmed as SCI: | No data |
| Date site designated as SAC: | 2015-07 |

| | | | | | | | | | |
|------|---|--|-------|---|---|---|---|---|---|
| | | | 1.8 | 0 | M | A | C | A | A |
| 1310 | | | 1.51 | 0 | P | A | C | A | A |
| 1410 | | | 8.93 | 0 | G | A | C | A | A |
| 1420 | | | 11.9 | 0 | G | A | C | B | C |
| 2110 | | | 0.68 | 0 | P | A | C | A | A |
| 2120 | | | 5.84 | 0 | G | A | C | A | A |
| 2230 | | | 12.5 | 0 | P | A | C | A | A |
| 2250 | | | 19.65 | 0 | P | A | C | B | A |
| 2260 | | | 13.99 | 0 | P | A | C | B | B |
| 6220 | X | | 12.39 | 0 | P | A | C | B | B |
| 8210 | | | 1.28 | 0 | G | A | C | B | B |
| 8310 | | | | 2 | P | A | C | A | A |

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | | | Population in the site | | | | | | Site assessment | | | |
|---------|------|--|---|----|------------------------|------|-----|------|------|---------|-----------------|-------|------|------|
| G | Code | Scientific Name | S | NP | T | Size | | Unit | Cat. | D.qual. | A B C D | A B C | | |
| | | | | | | Min | Max | | | | Pop. | Con. | Iso. | Glo. |
| B | A247 | Alauda arvensis | | | r | 0 | 0 | | P | DD | C | B | C | B |
| B | A056 | Anas clypeata | | | c | 0 | 0 | | P | DD | C | A | A | A |
| B | A052 | Anas crecca | | | c | 0 | 0 | | P | DD | C | A | A | A |
| F | 1152 | Aphanius fasciatus | | | p | 0 | 0 | | P | DD | C | C | C | C |
| I | | Axinella cannabina (Esper, 1794) | | | | 0 | 0 | | P | | | | | |
| I | | Axinella polypoides Schmidt, 1862 | | | | 0 | 0 | | P | | | | | |

[illegible]

| | | | | | | | | | | | | | | |
|---|------|--|--|--|---|---|---|--|---|----|---|---|---|---|
| I | | lividus (Lamarck, 1816) | | | | 0 | 0 | | P | | | | | |
| B | A621 | Passer italiae | | | r | 0 | 0 | | P | DD | D | | | |
| B | A356 | Passer montanus | | | r | 0 | 0 | | P | DD | D | | | |
| P | 1849 | Ruscus aculeatus | | | | 0 | 0 | | P | | | | | |
| P | 1849 | Ruscus aculeatus | | | | 0 | 0 | | | | | | | |
| F | 5826 | Salaria pavo | | | | 0 | 0 | | P | | | | | |
| B | A276 | Saxicola torquata | | | r | 0 | 0 | | P | DD | D | | | |
| I | | Spongia (Spongia) officinalis Linnaeus, 1759 | | | | 0 | 0 | | P | | | | | |
| M | 2034 | Stenella coeruleoalba | | | | 0 | 0 | | P | | | | | |
| B | A191 | Sterna sandvicensis | | | c | 0 | 0 | | P | DD | C | A | A | A |
| P | 1883 | Stipa austroitalica | | | p | 0 | 0 | | P | DD | C | C | B | B |
| M | 1349 | Tursiops truncatus | | | p | 0 | 0 | | P | DD | D | | | |

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | | | Population in the site | | | | Motivation | | | | | |
|---------|------|--------------------------------------|---|----|------------------------|-----|------|---------|---------------|---|------------------|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | |
| | | | | | Min | Max | | C R V P | IV | V | A | B | C | D |
| A | 1201 | Bufo viridis | | | 0 | 0 | | P | X | | | | | |
| R | | Chalcides chalcides | | | 0 | 0 | | P | | | | | X | |
| R | 1284 | Coluber viridiflavus | | | 0 | 0 | | P | X | | | | | |
| R | 1228 | Cyrtopodion kotschy | | | 0 | 0 | | P | X | | | | | |

| | | | | | | | | | | | | | | |
|---|------|---------------------------------------|--|--|---|---|--|---|---|---|--|--|---|--|
| R | | Lacerta bilineata | | | 0 | 0 | | P | | | | | X | |
| I | 1027 | Lithophaga lithophaga | | | 0 | 0 | | P | X | | | | | |
| I | 1028 | Pinna nobilis | | | 0 | 0 | | P | X | | | | | |
| R | 1250 | Podarcis sicula | | | 0 | 0 | | P | X | | | | | |
| A | 1210 | Rana esculenta | | | 0 | 0 | | P | | X | | | | |
| I | 1090 | Scyllarides latus | | | 0 | 0 | | P | | X | | | | |

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|---------------------|---------|
| N23 | 100.0 |
| Total Habitat Cover | 100 |

Other Site Characteristics

Il paesaggio Ã" costituito da deboli ondulazioni collinari che degradano verso la costa, con substrato di calcare cretaco. Il clima termo-xerofilo favorisce la presenza di una vegetazione substeppica lungo i declivi.

4.2 Quality and importance

Zona di dune recenti litoranee, con presenza di vegetazione della macchia mediterranea. Le aree substeppiche sono ricche di orchidacee, fra le quali anche alcune endemiche.

4.3 Threats, pressures and activities with impacts on the site

4.4 Ownership (optional)

4.5 Documentation

5. SITE PROTECTION STATUS (optional)

[Back to top](#)

5.1 Designation types at national and regional level:

| Code | Cover [%] | Code | Cover [%] | Code | Cover [%] |
|------|-----------|------|-----------|------|-----------|
| | | | | | |

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

| | |
|---------------|----------------|
| Organisation: | Regione Puglia |
| Address: | |
| Email: | |

6.2 Management Plan(s):

An actual management plan does exist:

| | |
|---|---|
| <input checked="" type="checkbox"/> Yes | Name: Piano di Gestione del SIC Litorale Brindisino Link: www.regione.puglia.it |
| <input type="checkbox"/> No, but in preparation | |
| <input type="checkbox"/> No | |

6.3 Conservation measures (optional)

| |
|-------------------------------|
| DGR 15 dicembre 2009, n. 2436 |
|-------------------------------|

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

| |
|--|
| |
|--|

Map delivered as PDF in electronic format (optional)

☒ Yes ☐ No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

| |
|-----------------------------|
| Fg. 191 1:25000 Gauss-Boaga |
|-----------------------------|